





Extended rotary handle, GoPact MCCB 125, shaft length 250mm, IP54

G12ROTE

Main

Range of product	GoPact MCCB
Product or component type	Rotary handle
Device application	Control
Range compatibility	GoPact MCCB 125
Rotary handle mounting style	Extended
Rotary handle mounting location	Front
Shaft length	250 mm
Handle colour	Grey
Rotary handle padlocking	Padlock in OFF position 1 to 3 padlocks

Complementary

IP degree of protection IP54

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	9.8 cm
Package 1 Width	9.6 cm
Package 1 Length	28.7 cm
Package 1 Weight	620 g
Unit Type of Package 2	S03
Number of Units in Package 2	9
Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	6.021 kg
Unit Type of Package 3	P06
Number of Units in Package 3	108
Package 3 Height	60 cm
Package 3 Width	60 cm
Package 3 Length	80 cm

Package 3 Weight

80.752 kg



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

②	Mercury Free	
	Rohs Exemption Information	Yes
	Pvc Free	

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information

G12ROTE

Technical Illustration

Dimensions





